Electronic Heat Guns

Introducing a new generation of STEINEL electronic heat guns. STEINEL heat guns have built a reputation for using state of the art technology to maximize precision and durability. Our new generation of heat guns incorporates exciting new features responding directly to ever increasing global requirements for rigorous, formalized quality control.

HG 2510 ESD Safe Programmable IntelliTempTM Heat Gun

ESD safe programmable heat gun with LOC Lockable Override ControlTM of temperature and airflow output settings. LCD display enables temperature selection in 10°F increments.



Specifications

Temperature	Continuously variable 120 - 1200 °F
Airflow	3.6 - 17.6 CFM
Switch	1) Cool Air Stage (120°F / 3.6 CFM)
	2) Variable Temp & Airflow
Programs	Four customizable pre-set
	temperature/airflow programs
Output	1600 watts
Voltage	120 VAC / 60 Hz
Weight	33 oz
Warranty	Full 1-year
Item Number	34833

Available with or without a heavy duty carrying case.

HG 2310 LCD Programmable IntelliTemp[™] Heat Gun with LCD Display

Programmable heat gun with LOC Lockable Override ControlTM of temperature and airflow output settings. LCD display enables temperature selection in 10°F increments.

Specifications

Temperature	Continuously variable 120 - 1200°F
Airflow	3.6 - 17.6 CFM
Switch	1) Cool Air Stage (120°F / 3.6 CFM)
	2) Variable Temp & Airflow
Programs	Four customizable pre-set
	temperature/airflow programs
Output	1600 watts
Voltage	120 VAC / 60 Hz
Weight	33 oz
Warranty	Full 1-year
Item Number	34831

HL 2010 E IntelliTemp[™] Heat Gun with LCD Temperature Display

Microprocessor controlled heat gun with LCD display enabling temperature selection in 10°F increments. STEINEL's exclusive DuraThermTM heating element ensures long life and even heat.



Specifications

Temperature	Continuously variable 120 - 1150 °F
Airflow	3.6 / 10.6 / 17.6 CFM
Switch	1) Cool Air (120°F / 3.6 CFM)
	2) Var Temp/10.6 CFM
	3) Var Temp/17.6 CFM
Output	1500 watts
Voltage	120 VAC / 60 Hz
Weight	30 oz
Warranty	Full 1-year
Item Number	34821

Available with or without a heavy duty carrying case.



Available with or without a heavy duty carrying case.

HL 1910 E Variable Temperature Electronic Heat Gun

Powerful heat gun with variable temperature and electronic thermocouple control for flexible use and maximum reliability. STEINEL's exclusive DuraThermTM heating element ensures long life and even heat.

Specifications

Temperature	Continuously variable 120°F – 1100°F
Airflow	3.6 / 10.6 / 17.6 CFM
Switch	1) 120°F / 3.6 CFM
	2) Var Temp/10.6 CFM
	2) Var Temp/17.6 CFM
Output	1500 watts
Voltage	120 VAC / 60 Hz
Weight	30 oz
Warranty	Full 1-year
Item Number	34841
Availabl	e with or without a heavy duty carrying case.



Introducing a new generation of STEINEL Professional heat guns. STEINEL professional heat guns are high quality durable tools suitable for heavy-duty use in industry and the trades. They provide powerful even heat with a lightweight ergonomic design. New features have been added to enhance the tool's versatility and long term comfortable use.

HL 1810 S Three-Stage Professional Heat Gun

Multi-purpose heat gun with cool air stage and choice of 2 temperature settings for convenient hand-held or benchwork. STEINEL's exclusive DuraThermTM heating element ensures long life and even heat.



HL 1610 S Two-Stage Heat Gun

General purpose heat gun with two temperature settings is designed for safe, convenient professional and industrial use. Lightweight, ergonomic design ensures comfortable long-term operation.



Specifications

120 / 750 / 110°F
3.6 / 10.0 / 15.9 CFM
1) 120°F / 3.6 CFM
2) 750°F / 10.0 CFM
3) 1100°F / 15.9 CFM
1400 watts
DuraTherm™ Ceramic
Hand-Held, Hands-Free Stable Base,
Includes Overhead Hanger
120 volts AC / 60 hz
28 oz
Full 1-year
34811

Specifications

emperature	575 / 1000°F
Airflow	8.5 / 14.8 CFM
Switch	1) 575°F / 8.5 CFM
	2) 1000°F / 14.8 CFM
lutput	1300 watts
lement	Reinforced Ceramic / Mica
se	Hand-Held, Hands-Free Stable Base
oltage	120 VAC / 60 Hz
Veight	25 oz
Varranty	Full 1-year
em Number	34801

Airflow must not be restricted. Use only nozzles indicated through this accessory link. Do not use reduction nozzles intended for use with electronic heat guns only.

398

UltraHEAT heat guns are available in two different versions; a dual temperature model for general use and the fully featured SV803 that allows the user to control temperature and airflow. Both models are lightweight and easy to use, offer quick heat-up and ultra quiet operation. A variety of accessories and kit presentations make UltraHEAT extremely versatile and a great value for most intermittent applications.

UltraHEAT[™] SV 800

Specifications

Dual Temperature	Low: 600°F High: 950°F
Cool Air Stage	Enables rapid cool down
Power Cord	Rubber construction, double insulated for safety
Output	1300 watts
Voltage	120 VAC / 60 Hz
Certifications	UL/C-UL
Warranty	Full 1-year



UltraHEAT™ II SV 803 Variable Temperature Heat Gun

STEINEL's Ultra Heat II is a variable temperature heat gun featuring 3 airflow settings for maximum user control. This model also has a soft grip handle for comfortable operation.

Specifications

Variable Temperature	Up to 1050°F
3-Stage Airflow	Cool air, 140°F—Low air/High air
Power Cord	Rubber construction, double insulated for safety
Output	1400 watts
Voltage	120 VAC / 60 Hz
Certifications	UL/C-UL
Warranty	Full 1-year



UltraHEAT[™] Hot Air Tool Kit Mergeformatinet SV 803 K

Variable temperature heat gun kit This hot air tool kit features the UltraHEAT[™] II heat gun along with two heavy gauge nozzles. **P/N 34104**

P/IN 3410

Includes

- Mergeformatinet SV 803 variable temperature heat gun
- Heavy Duty Carrying Case
- Reflector Nozzle
- Spreader nozzle



Wide-Jet Nozzles

Spreads hot air over a wider area for drying, shaping plastic, heating large surfaces, etc.

50mm Surface Nozzle P/N 07011

75mm Surface Nozzle P/N 07021



Deflector Nozzles

Protects adjoining surfaces from overheating, such as panes of glass and corners.

50mm Window Nozzle P/N 07031

75mm Window Nozzle P/N 07041



Reduction Nozzles

Provides a precisely concentrated stream of hot air. Used for welding or soldering. Can be used as a base for specialized attachments. (All reduction nozzles are for use on electronic heat guns only.) 9mm Reduction Nozzle (also used as a base for attachments) P/N 07062

14mm Reduction Nozzle (also used as a base for attachments) P/N 07071



40mm Angle Slit Nozzle

Used for welding single ply roofing materials and plastic sheets. (For use on electronic heat guns only.) P/N 07511



Reflector Nozzles

Directs hot air around pipes and tubing for even heating. Used for shrink tubing, soldering sink wire connectors and bending.

9mm Reflector Nozzle

(For use on electronic heat guns only.) P/N 07061

14mm Reflector Nozzle (For use on electronic heat guns only.) P/N 07461

39mm Reflector Nozzle P/N 07051

75mm Reflector Nozzle P/N 07301



Attachments for 9mm **Reduction Nozzle # 07062**

Plastic Welding Nozzle with 6mm intake P/N 07091





20mm Lap Welding Slit Tip P/N 07101

20mm Rod Welding Slit Tip

P/N 07201 Attachments for 14mm Reduction Nozzle # 07071 (For use on electronic heat guns only.)

75mm Teflon Coated Heat Disk Used To Butt Weld PVC Pipe

P/N 07211

40mm Slit Nozzle For Lap Welding PVC Sheeting And Roofing Material P/N 07471



Wire Protection Tube

Prevents accidental contact with hot nozzles. **P/N 07403** (Fits HG 2510 ESD, HG 2310 LCD, HL 2010 E, HL 1910 E, and HL 1810 E) **P/N 07401** (Fits HG 3002 LCD, HL 2002 LED, HL 1802 E, and HL 1502 S) **P/N 07401** (Fits HL 1800 E)

Silione Seam Roller

1 3⁄4" wide head with ball bearings. P/N 01250



Heat Gun Stand

Cradles pistol grip heat guns for hands-free operation. Provides stability while using heat gun in a stationary position. **P/N 01410** (Fits HG 2510 ESD, HG 2310 LCD, HL 2010 E, HL 1910 E, and HL 1810 E)

P/N 01450 (Fits HG 3002 LCD, HL 2002 LED, HL 1802 E, and HL 1502 S)

Flexible Stand with Magnetic Base

Magnetic base keeps stand in place while working. Flexible arm allows user to adjust gun to the optimal working position. **P/N 01400**

Heat Gun Accessories

Plastic Welding Rods

All types are shipped with 16 rods to a packet. HDPE Plastic Welding Rods **P/N 07121**

Rigid PVC Welding Rods P/N 07311

LDPE Plastic Welding Rods P/N 07331

PP Plastic Welding Rods P/N 07341

ABS Plastic Welding Rods P/N 07421

Steinel America, Inc.

Heavy-Duty Carry Case

Blow Molded for Maximum Durability **P/N 40100** (Fits HG 2510 ESD, HG 2310 LCD, HL 2010 E, HL 1910 E, HL 1810 E, and HL 1610 E) **P/N 40096** (Fits HG 3002 LCD, HL 2002 LED, HL 1802 E, and HL 1502 S)

